Customer No. 01933

Listing of Claims:

5

10

15

20

Claim 1 (Canceled).

- 2. (Currently Amended) A plate-like protective film comprising:
- a plate-like material main body which protects a plate-like material structure;
- a plurality of projections which: (i) are arranged continuously in predetermined areas at least at each of two opposite widthwise ends of the plate-like material main body, which are opposite ends of the material main body along a width direction thereof, and which (ii) are formed by respective parts of the plate-like material main body to extend from a base portion of the plate-like material main body;

wherein each of the projections comprises a crown portion having a surface that is a plane that is substantially parallel with a main surface of the protected plate-like material structure, and a side wall portion extending from the crown portion; and

wherein an amount by which the projection provided at one widthwise end a first one of the opposite widthwise ends of the plate-like protective film is shifted with respect to a corresponding projection at another widthwise end a second one of

Customer No. 01933

the opposite widthwise ends is not smaller than 1/4 pitch and is not larger than 3/4 pitch.

Claims 3 and 4 (Canceled).

- 5. (Currently Amended) The plate like protective film according to claim 2, wherein the plurality of projections project in at least two different directions from the base portion of the plate-like material main body.
- 6. (Currently Amended) The plate-like protective film according to claim 2, wherein the plurality of projections comprise first projections projecting from one surface of the plate-like material main body, and second projections projecting from another surface of the plate-like material main body, and the first and second projections are arranged alternately along a direction in which the projections are arranged.

Claim 7 (Canceled).

5

- 8. (Currently Amended) A plate-like protective film comprising:
- a plate-like material main body which protects a plate-like material structure;

5

10

15

20

25

Customer No. 01933

a plurality of projections which: (i) are arranged continuously in predetermined areas at least at each of two opposite widthwise ends of the plate-like material main body, which are opposite ends of the material main body along a width direction thereof, and which (ii) are formed by respective parts of the plate-like material main body to extend from a base portion of the plate-like material main body;

wherein each of the projections comprises a crown portion having a surface that is a plane that is substantially parallel with a main surface of the protected plate-like material structure, and a side wall portion extending from the crown portion; and

wherein the plurality of projections comprise first
projections projecting from a first surface of the material main
body, and second projections projecting from a second surface of
the material main body, and the first and second projections are
arranged alternately along a direction in which the projections
are arranged;

wherein the first and second projections are grouped into pairs of projections, and each of the pairs includes of one of the first projections and one of the second projections adjacent to the one of the first projections; and

wherein for each of the pairs of projections, the crown portions of the first projection and the second projection in a

30

35

5

10

Customer No. 01933

same pair have a same width along the direction in which the projections are arranged, which is different from a width, along the direction in which the projections are arranged, of the crown portions of an adjacent pair of projections.

wherein the plurality of crown portions have different widths measured along a direction of arrangement of the projections.

Claim 9-12 (Canceled).

13. (Currently Amended) The A-plate-like protective film according to claim 2, comprising:

a plate-like material main body which protects a plate-like material structure;

projections which are arranged continuously in predetermined areas of the plate-like material main body and which are formed by respective parts of the plate-like material main body to extend from a base portion of the plate-like material main body;

wherein each of the projections comprises a crown portion
having a surface that is a plane that is substantially parallel
with a main surface of the protected plate-like material
structure, and a side wall portion extending from the crown
portion, and

15

Customer No. 01933

wherein respective gap portions are formed between the plurality of projections, and the respective gap portions have at least two different widths measured along a direction of arrangement of the projections.

- 14. (Currently Amended) The plate-like protective film according to claim 2, wherein the projections are substantially trapezoidal as viewed from an end surface side of the plate-like material main body.
- 15. (Currently Amended) The plate-like protective film according to claim 2, wherein the projections are substantially U-shaped as viewed from one surface side of the plate-like material main body.
- 16. (Currently Amended) The plate-like protective film according to claim 2, wherein the projections are substantially semicircular as viewed from one surface side of the plate-like material main body.
- 17. (Currently Amended) The plate-like protective film according to claim 2, wherein the protected plate-like material structure comprises interconnect patterns, and the predetermined

5

Customer No. 01933

areas opposite widthwise ends of the plate like material main body are not superimposed on the interconnect patterns.

- 18. (Currently Amended) The plate-like protective film according to claim 2, wherein the protected plate-like material structure comprises interconnect patterns and electronic components, and the predetermined areas opposite widthwise ends of the plate-like material main body are not superimposed on the interconnect patterns and electronic components.
- 19. (Currently Amended) The plate-like protective film according to claim 18, wherein the electronic components comprise semiconductor chips.
- 20. (Currently Amended) The plate-like protective film according to claim 2, wherein the plate-like material main body is long enough to protect the protected plate-like material structure.
- 21. (Currently Amended) The plate-like protective film according to claim 20, wherein the protected plate-like material structure comprises sprocket holes, and the predetermined areas opposite widthwise ends of the plate-like material main body are in proximity to the sprocket holes.

5

5

Customer No. 01933

- 22. (Currently Amended) The plate-like protective film according to claim 20, wherein the protected plate-like material structure comprises sprocket holes at opposite widthwise ends thereof., and the predetermined areas of the plate-like material main body are the opposite widthwise ends of the plate-like material main body.
- 23. (Currently Amended) The plate-like protective film according to claim 2, wherein the plate-like material main body has a sheet form so as to protect the protected plate-like material structure, which also has a sheet form.

Claim 24 (Canceled).

25. (Currently Amended) The plate-like protective film according to claim 23, wherein the predetermined areas of the plate-like further comprising:

projections which: (i) are arranged continuously at opposite

lengthwise ends of the material main body, which are opposite

ends of the material main body along a length direction thereof,
and (ii) which are formed by respective parts of the material

main body to extend from a base portion of the are at least four

side areas of the plate-like material main body;

Customer No. 01933

wherein each of the projections comprises a crown portion

having a surface that is a plane that is substantially parallel

with the main surface of the protected material structure, and a

side wall portion extending from the crown portion.

- 26. (Currently Amended) The plate-like protective film according to claim 13, wherein conductive layers are provided at least in areas of the plate-like material main body other than the opposite widthwise ends thereof.
- 27. (Currently Amended) The plate-like protective film according to claim 26, wherein the conductive layers are provided on respective surfaces of the plate-like material main body.